

Certificate of Analysis No. CA14085

Product: Eichrom's TRU Resin columns

Lot #: TR14B

Eichrom's TRU Resin column Lot # TR14B has been manufactured according to Eichrom's standard operating procedures. The resin used to manufacture this lot has been tested in accordance with Eichrom's quality assurance policy and procedures. This lot of product meets all Eichrom quality specifications.

ANALYSIS RESULTS

Test Value	Specification	Result
Appearance	White beads	Pass
Distribution Ratio, Eu in 3.1 N nitric acid	≥ 60	64.9
% ²⁴¹ Am stripped in 4M HCl		
Least acceptable mean (4 rep)	95.0	99.3
Max. standard deviation	2.5	0.2
% ²⁴¹ Am stripped in 0.1M ammonium bioxalate		
Maximum acceptable mean (4 rep)	1.0	0.2
Max. standard deviation	0.5	0.2
% ²³⁹ Pu stripped in 0.1M ammonium bioxalate		
Least acceptable mean (4 rep)	95.0	97.6
Max. standard deviation	2.5	0.4
% ²³⁹ Pu stripped in 4M HCl		
Maximum acceptable mean (4 rep)	1.0	0.49
Max. standard deviation	0.5	0.3
Extractant distribution ratio, ²⁴¹ Am strip in 0.05M HNO ₃	< 0.50	0.21

Jill Bryant June 10, 2014
Quality System Coordinator

Eichrom Technologies LLC 1955 University Lane, Lisle, IL 60532, USA



www.eichrom.com