

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.01.2014

Version number 5

Revision: 17.01.2014

1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: CL Resin B
- · Article number:

CL-B25-A, CL-B50-A, CL-B100-A, CL-B200-A, PSF-CL-A, SA-CL-B01-A, CL-B25-L, CL-B50-L, CL-B100-L, CL-B200-L, PSF-CL-L, SA-CL-B01-L, CL-B25-S, CL-B50-S, CL-B100-S, CL-B200-S, PSF-CL-S, SA-CL-B01-S


- 1.2 Relevant identified uses of the substance or mixture and uses advised against • Sector of Use
- SU24 Scientific research and development
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Application of the substance / the mixture Selective resin for CI- and I- separation
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Triskem International SAS Parc de Lormandière Bât. C Rue Maryse Bastié Campus de Ker Lann F-35170 Bruz FRANCE contact@triskem.fr

- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: During normal opening times: +33 2 99 05 00 09

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
STOT SE 3	H335	May cause respiratory irritation.

<u>Classification according to Directive 67/548/EEC or Directive 1999/45/EC</u>

🔀 Xi; Irritant

R37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.

N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Heightened danger of slipping when the product is spilled on the floor.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Revision: 17.01.2014

(Contd. of page 1)

· 2.2 Label elements

• *Labelling according to EU guidelines:* The product has been marked in accordance with EU Directives / respective national laws.

· Code letter and hazard designation of product:



Xi Irritant N Dangerous for the environment

· Risk phrases:

37/38 Irritating to respiratory system and skin.

41 Risk of serious damage to eyes.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Safety phrases:

- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 37/39 Wear suitable gloves and eye/face protection.
- 57 Use appropriate container to avoid environmental contamination.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

- **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

Alcoholic compound Xi R36/38 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 phosphine sulfide based compound Xi R38-41; N R50/53 Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315 Alkane compound Xn R20-65 R66 Asp. Tox. 1, H304; Acute Tox. 4, H332 Acrylic copolymer Xi R36/37/38

50-100%

Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335
 Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· 4.1 Description of first aid measures

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.



Printing date 17.01.2014

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Revision: 17.01.2014



Printing date 17.01.2014

Trade name: CL Resin - B

(Contd. of page 2)

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
 Absorb liquid components with liquid-binding material.
 Pick up mechanically.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Provide suction extractors if dust is formed.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- *Further information about storage conditions:* Keep container tightly sealed. Protect from exposure to the light.
- **7.3 Specific end use(s)**When the resin is to be packed in column, it is advised to let it wet in a 0.01M-0.1M HNO3 solution for at least 1h before use.
 Advised temperature of use: 20-25 °C

(Contd. on page 4)



Printing date 17.01.2014

Version number 5

Revision: 17.01.2014

Trade name: CL Resin - B

(Contd. of page 3)

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
 Avoid contact with the skin.
 Avoid contact with the eyes and skin.
 Do not eat, drink, smoke or sniff while working.
- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

9 Physical and chemical properties

- \cdot 9.1 Information on basic physical and chemical properties
- · General Information
- Appearance: Form: Colour:
 Odour:
 Odour threshold:
 pH-value:
 Change in condition

Melting point/Melting range:

Boiling point/Boiling range:

Not determined. Not applicable. Undetermined. Undetermined.

Not applicable.

Characteristic

Powder

White

· Flash point:

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Printing date 17.01.2014

Trade name: CL Resin - B

Revision: 17.01.2014

		(Contd. of page 4)
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	200 °C	
 Decomposition temperature: 	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	0.8 Vol % Not determined.	
· Vapour pressure:	Not applicable.	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	0.35 g/cm ³ Not determined. Not applicable. Not applicable.	
 Solubility in / Miscibility with water: Particle size 	Insoluble. Α: 100-150 μm S: 50-100 μm L: 150-300 μm	
· Partition coefficient (n-octanol/water)	: Not determined.	
 Viscosity: Dynamic: Kinematic: Organic solvents: 	Not applicable. Not applicable. 0.0 %	
Solids content: • 9.2 Other information	100.0 % No further relevant information available.	

10 Stability and reactivity

· 10.1 Reactivity
· 10.2 Chemical stability
Thermal decomposition / conditions to be avoided:
No decomposition if used according to specifications.
10.3 Possibility of hazardous reactions
Reacts with strong oxidizing agents.
Reacts with flammable substances.
Toxic fumes may be released if heated above the decomposition point.
 10.4 Conditions to avoid No further relevant information available.
• 10.5 Incompatible materials: No further relevant information available.

• **10.6 Hazardous decomposition products:** Phosphorus compounds Carbon monoxide and carbon dioxide

Sulphur oxides (SOx) Nitrogen oxides (NOx)

(Contd. on page 6)



Printing date 17.01.2014

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Revision: 17.01.2014

Trade name: CL Resin - B

(Contd. of page 5)

11 Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity:
- · LD/LC50 values relevant for classification:

Acrylic copolymer

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)

Phosphine sulfide compound

Oral	LD50	>10000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalativa	1 CE0/4 h	> 20 mg/l (rot)

Inhalative LC50/4 h >20 mg/l (rat)

· Primary irritant effect:

- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

- Toxic for aquatic organisms
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.



Printing date 17.01.2014

Trade name: CL Resin - B

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Revision: 17.01.2014

(Contd. of page 6)

14 Transport information · 14.1 UN-Number · ADR, IMDG, IATA UN3077 · 14.2 UN proper shipping name · ADR 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Phosphine oxyde compound) · IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Phosphine sulfide compound), MARINE POLLUTANT · IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Phosphine sulfide compound mixture) · 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label 9 · 14.4 Packing group Ш · ADR, IMDG, IATA · 14.5 Environmental hazards: Product contains environmentally hazardous substances: Dérivé de sulfure de phosphine · Marine pollutant: Yes Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. · Danger code (Kemler): 90 · EMS Number: F-A,S-F · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 5 kg Transport category 3 Tunnel restriction code Е · UN "Model Regulation": UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Phosphine oxyde compound), 9, III

15 Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.01.2014

Trade name: CL Resin - B

Revision: 17.01.2014

	(Contd. of page 7)
· Relevant	^t phrases
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R20	Harmful by inhalation.
	8 Irritating to eyes, respiratory system and skin.
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
	ent issuing MSDS: Product safety department
	Aude Bombard
	ations and acronyms:
International	nent international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the I Transport of Dangerous Goods by Rail)
ICAO: Interr	national Civil Aviation Organization
	d européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the I Carriage of Dangerous Goods by Road)
	national Maritime Code for Dangerous Goods
	ational Air Transport Association
	Ily Harmonized System of Classification and Labelling of Chemicals Jropean Inventory of Existing Commercial Chemical Substances
	Iropean List of Notified Chemical Substances
	ical Abstracts Service (division of the American Chemical Society)
	al concentration, 50 percent al dose, 50 percent
	ompared to the previous version altered.



Version number 5