## SAFETY DATA SHEET

LN3 Resin SDS - Bulk and Cartridge

## Section 1: Chemical Product and Company Identification

Product Name LN3 Resin

Product Number(s): L3-1ML-R01-S, L3-1ML-R50-S, L3-B01-S, L3-R01-S, L3-R50-S

Product Synonym(s): LN Resin

Identified Uses: Laboratory chemicals, manufacture of substances

Manufacturer: Eichrom Technologies LLC General (8-5 CST M-F)

1955 University Lane Information: 800-422-6693 (in USA)

Revision Date: 01-Feb-18

Lisle, Illinois 60532 630-963-0320

24 Hour Emergency Number (US/Canada): 1-800-255-3924 CHEMTEL Contract #:MIS9554039

24 Hour International Access Number: 1-813-248-0585

Country Specific Emergency Numbers:

Australia: 1-300-954-583 India: 000-800-100-4086
Brazil: 0-800-591-6042 Mexico: 1-800-99-731

# Section 2: Hazard(s) Identification

2.1 Classification of the substance or mixture

GHS Classification of substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

Skin Irritant Eye Irritant

Respiratory Tract Irritation

Acute and Chronic hazards to the aquatic environment (Category 3)

2.2 GHS Label elements, including precautionary statements

Pictogram:



Signal Word Warning

Hazard Statement(s):

H315 Causes skin irritation
H319 Causes serious eye irritation
H335 May cause respiratory irritation

H402+H412 Harmful to aquatic life (acute and long lasting)

### Precautionary Statement(s):

Prevention	P261	Avoid breathing dust and vapors.
	P264	Wash hands thoroughly after handling.
	P271	Use only outdoors or in a well-ventilated area.
	P273	Avoid release to the environment.
	P280	Wear protective gloves, clothing, and eye protection.
Response	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P304+P340+P312	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a doctor if you feel unwell.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P332+P313	If skin irritation occurs, seek medical attention.
	P337+P313	If eye irritation persists, get medical attention.
	P362+P364	Take off contaminated clothing and wash before reuse.
	P391	Collect Spillage.
Storage	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	P405	Store locked up.
0		

Revision Date: 01-Feb-18

Dispose of contents/container in accordance with federal, state, and local regulations.

2.3 Hazards Not Otherwise Classified (HNOC) or not covered by GHS:

Section 3: Composition / Informa Component		CAS_Number	Percentage Range	
Nonionic Acrylic Ester Polymer		Trade Secret	60%	
Phosphorous based extractant		Trade Secret	40%	
·			.070	
Section 4: First-aid Measures				
General Advice	The hazardous p as if it were toxic	roperties of this material has when evaluating first aid re	ave not been established. Treat materia equirements.	
Ingestion	IF SWALLOWED: Call a POISON CONTROL CENTER or doctor if you feel unwell			
	IF SWALLOWED	: Rinse mouth. DO NOT	induce vomitting.	
Skin Contact			amounts of water. Remove and wash develops, seek medical attention.	
Eye Contact	Irrigate immediat seek medical atte		es. Mechanical irritation is possible;	
Inhalation	Remove to fresh air. If breathing is labored, administer oxygen. If not breathing, give artificial respiration. Seek medical attention.			
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.			
Indication of any immediate medical attention and special treatment needed	Treat according to symptoms (decontamination, vital functions), no known specific antidote.			
Section 5: Firefighting Measures				
Extinguishing Media		Chemical, Water Spray		
Protective Equipment	Wear positive pressure self-contained breathing apparatus and full personal protective equipment.			
Special Hazards	Possible combustion products include carbon oxides and phosphorous oxides. Flammable olefin vapors may be driven off a t emperatures greater than 125°C.			
Section 6: Accidental Release Me	easures			
Personal precautions	Avoid creating ar	nd breathing dust. See sed	ction 8.	
, and a second second	Surface may be	_		
	Use proper perso	onal protect equipment (sp	ecified in section 8)	
Methods and materials for containment and clean-up	Ventilate area ar	d wash spill site after mate	erial pickup is complete.	
	Sweep up materi	al and transfer to a suitabl	e container for disposal.	
Reference to other sections	For disposal see	section 13.		
Section 7: Handling and Storage				
Conditions for safe handling	Avoid contact wit	h skin and eyes. Avoid inh	nalation of vapor or mist.	
, and the second		exhaust if dust is formed.	·	
Conditions for safe storage	Keep away from direct sunlight, heat sources, and sources of ignition			
	Normal warehou	se storage in cool, dry, wel	ll-ventilated area is satisfactory.	
	Keep away from			
Specific End Use(s)	Apart from the us	ses mentioned in section 1	no other specific uses are stipulated.	
Section 8: Exposure Controls / P	ersonal Protect	ion		
			Basit	
Control Parameters	Contains no subs	stances with occupational	exposure limit values.	

**Exposure Controls** 

immediately after handling the product. Mechanical exhaust is required.

Avoid contact with skin, eyes, and clothing. Wash hands before breaks and

## LN3 Resin SDS - Bulk and Cartridge

Do not eat, drink or smoke when using this product.

Eye Protection Wear safety goggles and/or face shield.

Skin Protection Wear impervious gloves and clean body-covering clothing.

Respiratory protection Use NIOSH/MSHA approved respirator when handling material outside of

mechanical exhaust. An air-purifying respirator with an organic vapor cartridge or

Extractant.

Revision Date: 01-Feb-18

canister may be permissible.

Do not breathe dust.

### Section 9: Physical Properties

Information on basic physical and chemical properties

Appearance: Powder **Explosion Limits** Not applicable

(Upper/Lower): Off-white, spherical beads

Odor: sweet Flash Point: >108°C (Closed Cup) for

Odor Threshold: Not Established

Flammability: Not Established pH: Not Relevant Melting Point: AutoIgnition Temperature: Not Established <-32°C for Extractant: not established for polymer. Decomposition Not Established

Temperature **Boiling Point:** >300°C for Extractant; not

> established for polymer. VaporPressure: Not Established

Relative Density: 0.35 g/mL at 25°C VaporDensity: Not Applicable **Evaporation Rate:** Neglible

Solubility: 16 mg/L for Extractant; polymer is practically insoluble.

Partition Coefficient: Log Pow >= 2.65 for Extractant; not established for polymer.

Viscosity: Not Applicable

# Section 10: Stability and Reactivity

Reactivity No hazardous reactions if stored and handled as indicated.

Chemical Stability Stable under normal handling and storage conditions.

Hazardous Reactions No hazardous reactions are expected in normal laboratory use. Hazardous

polymerization will not occur.

Conditions to Avoid No relevant information available.

Materials to Avoid Contact with strong oxidizers will degrade material.

Avoid contact with strong bases.

Hazardous decomposition Products Possible combustion products include carbon oxides and phosphorous oxides.

Flammable olefin vapors may be driven off a t emperatures greater than 125°C.

#### Section 11: Toxicology Information

The product has not been tested. The statements on toxicology have been derived

from the properties of the individual components.

Acute Toxicity

**Oral Effects** Polymer, Oral LD50 > 5,000 mg/kg (rat).

Extractant, Oral LD50 >3,500 mg/kg (rat).

Inhalation Effects No data available for acute inhalation effects of this product.

**Dermal Effects** Polymer, Dermal LD50 > 5,000 mg/kg (rabbit).

Extractant, Dermal LD50 > 2,000 mg/kg (rabbit).

Skin corrosion/irritation

Extractant is a mild skin irritant (rabbit).

Serious eye damage/irritation

Extractant is Eye Irritant (rabbit).

Respiratory or skin sensitization

Extractant is not a skin sensitizer (Guinea Pig). No data for other components.

Germ Cell Mutagenicity

## LN3 Resin SDS - Bulk and Cartridge

Extractant is not mutagenic in bacteria and did not produce chromosome aberrations is mouse nuclei. No data available regarding mutagenic effects of other components in this product.

Carcinogenicity

No data available regarding carcinogenic effects of this product.

Reproductive Toxicity

No data available regarding reproductive effects of this product.

Specific Target Organ Toxicity

Single Exposure

Repeated Exposure

No data available regarding specific target organ toxicity single exposure.

No data available regarding specific target organ toxicity repeated exposure.

Aspiration Hazard

No data available regarding the aspiration hazard of this product.

### Section 12: Ecological Information

\*The product has not been tested. The statement has been derived from the properties of individual components using an additivity method.

Revision Date:

01-Feb-18

**Aquatic Toxicity** 

Acute Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 22 mg/l - 96 for extractant.

LC50 - Lepomis macrochirus (bluegill sunfish) - 46 mg/l - 96 h for extractant.

Acute Toxicity to aquatic invertebrates LC50 - Daphnia magna (Water flea) - > 9.9 mg/l - 48 h for extractant.

Acute toxicity to aquatic plants data collected on extractant toxicity in pseudokirchneriella for EC10, EC20, and

EC50 did not attain the required values. The values for the extractant are therefer

concluded to be greater than the maximum solubility.

Persistance and degradability

Biodegradability This material is not readily biodegradable.

Bioaccumulative potential No data are available for bioaccumulative potential.

Mobility in Soil No data are available for mobility in soil.

PBT/vPvB assessment not available as chemical safety assessment not

required/not conducted.

Other An environmental hazard cannot be excluded in the event of unprofessional

handling or disposal. Very toxic to aquatic life with long lasting effects.

#### Section 13: Disposal Considerations

General	Avoid disposal to sewers and local waterways.	
	Dispose of contents/container in accordance with federal, state, and local regulations.	
Unused:	Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.	
Used:	For resin contaminated with hazardous materials, dispose of mixture as hazardous material according to local, state, and federal regulations.	

## Section 14: Transport Information

Contact Eichrom for information regarding shipping classification.

|--|

	Substances List (DSL) or are not required to be listed.
Non-US Regulations	
Other International Regulations	One or more components of this product are NOT included on the Japanese

(ENCS) inventory.

US Federal Regulations

Canada - DSL/NDSL

Toxic Substances Control Act (TSCA): This material is provided to you under the

All substances contained in this product are listed on the Canadian Domestic

research and development (R&D) exemption.

Toxic Substances Control Act (TSCA): All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR

720.30.

One or more components are an Acute Health Hazard under SARA Title III,

Sections 311/312.

# LN3 Resin SDS - Bulk and Cartridge

Section 16: Other Information

Revision Updated to GHS SDS format, including classification

1-Feb-2018: Update Emergency Phone Numbers

Revision Date: 01-Feb-18

SDS Prepared By: Eichrom Technologies LLC

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.