SAFETY DATA SHEET

Pb Resin SDS - Column

Section 1: Chemical Product and Company Identification

Product Name Pb Resin

Product Number(s): PB-C01-A, PB-C20-A, PB-C50-A

Product Synonym(s): Pb Resin Column

Identified Uses: Laboratory chemicals, manufacture of substances

Manufacturer: Eichrom Technologies LLC General (8-5 CST M-F)

1955 University Lane Information: 800-422-6693 (in USA)

Revision Date: 01-Feb-18

Lisle, Illinois 60532 630-963-0320

24 Hour Emergency Number (US/Canada): 1-800-255-3924 CHEMTEL Contract #:MIS9554039

24 Hour International Access Number: 1-813-248-0585

Country Specific Emergency Numbers:

Australia: 1-300-954-583 India: 000-800-100-4086
Brazil: 0-800-591-6042 Mexico: 1-800-99-731

Section 2: Hazard(s) Identification

2.1 Classification of the substance or mixture

GHS Classification of substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4)

Acute toxicity, Dermal (Category 4)

Skin Irritant Eve Irritant

Acute toxicity, Inhalation (Category 4)

Respiratory Tract Irritation

2.2 GHS Label elements, including precautionary statements

Pictogram:

(!)

Signal Word Warning

Hazard Statement(s):

H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

Precautionary Statement(s):

Pre	P261	Avoid breathing dust and vapors.
eve	P261 P264 P270 P271	Wash hands thoroughly after handling.
ntio	P270	Do not eat, drink or smoke when using this product.
Š	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves, clothing, and eye protection.
Re	P301+P312	IF SWALLOWED: Call a POISON CONTROL CENTER or doctor if you feel unwell.
spo	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
nse	P301+P312 P302+P352 P304+P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P330	Rinse mouth.
	P332+P313	If skin irritation occurs, seek medical attention.
	P337+P313	If eye irritation persists, get medical attention.

Pb Resin SDS - Column

	P362+P364	Take off contaminated clothing and wash before reuse.
St	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
orage	P405	Store locked up.
je		
Disp	P501	Dispose of contents/container in accordance with federal, state, and local regulations.
osal		

Revision Date: 01-Feb-18

2.3 Hazards Not Otherwise Classified (HNOC) or not covered by GHS:

Component		CAS_Number	Percentage Range
De-ionized water		007732-18-5	60-70%
Nonionic Acrylic Ester Polymer		Trade Secret	18-24%
Isodecyl Alcohol		68526-85-2	7-10%
4,4'(5') di-t-butylcyclohexane-18-crown-	6	223719-29-7	5-6%
Nitric Acid, Concentrated		7697-37-2	<0.1%
Section 4: First-aid Measures			
General Advice	Symptoms of po observation is re	isoning may occur after sevecommended for at least 48	veral hours; therefore medical hours after exposure.
Ingestion	IF SWALLOWE	D: Call a POISON CONTR	ROL CENTER or doctor if you feel unwell
Skin Contact	Wash immediate contaminated cle	ely with soap and copious a othing promptly. If irritation	mounts of water. Remove and wash develops, seek medical attention.
Eye Contact	Irrigate immedia seek medical att		es. Mechanical irritation is possible;
Inhalation		air. If breathing is labored piration. Seek medical atte	l, administer oxygen. If not breathing, ention.
Most important symptoms and effects, both acute and delayed			effects are described in the labelling (see portant symptoms and effects are so far
Indication of any immediate medical attention and special treatment needed	Treat according antidote.	to symptoms (decontamina	tion, vital functions), no known specific
Section 5: Firefighting Measures			
Extinguishing Media	Foam, CO2, Dry	Chemical	
Fire and Explosion Hazards	Polymer does no	ot support flame.	
·	-		eased and extinguishing water runoff mag
Protective Equipment	Wear positive protective equip		thing apparatus and full personal
	protective equip	ment.	thing apparatus and full personal on dioxide and carbon monoxide.
Special Hazards	protective equip	ment.	
Special Hazards Section 6: Accidental Release Me	protective equip	ment. stion products include carb	
Special Hazards Section 6: Accidental Release Me	Possible combuneasures Surface may be	ment. stion products include carb	on dioxide and carbon monoxide.
Special Hazards Section 6: Accidental Release Me Personal precautions	Possible combuneasures Surface may be Use proper pers	ment. stion products include carbo	on dioxide and carbon monoxide.
Special Hazards Section 6: Accidental Release Me Personal precautions Environmental Precautions Methods and materials for containment	Possible combuneasures Surface may be Use proper pers Avoid release to	slippery. onal protect equipment (sp	on dioxide and carbon monoxide. ecified in section 8)
Special Hazards Section 6: Accidental Release Me Personal precautions Environmental Precautions Methods and materials for containment	Possible combu- easures Surface may be Use proper pers Avoid release to Sweep up mater	slippery. onal protect equipment (sp	ecified in section 8) e container for disposal.
Special Hazards Section 6: Accidental Release Me Personal precautions Environmental Precautions Methods and materials for containment and clean-up	Possible combu- easures Surface may be Use proper pers Avoid release to Sweep up mater	stion products include carbons slippery. onal protect equipment (sp the environment. ial and transfer to a suitable and wash spill site after mater	ecified in section 8) e container for disposal.
Special Hazards Section 6: Accidental Release Me Personal precautions Environmental Precautions Methods and materials for containment and clean-up Reference to other sections	Possible combu- easures Surface may be Use proper pers Avoid release to Sweep up mater Ventilate area ar	stion products include carbons slippery. onal protect equipment (sp the environment. ial and transfer to a suitable and wash spill site after mater	ecified in section 8) e container for disposal.
Protective Equipment Special Hazards Section 6: Accidental Release Me Personal precautions Environmental Precautions Methods and materials for containment and clean-up Reference to other sections Section 7: Handling and Storage Conditions for safe handling	Possible combu- easures Surface may be Use proper pers Avoid release to Sweep up mater Ventilate area ar For disposal see	stion products include carbons slippery. onal protect equipment (sp the environment. ial and transfer to a suitable and wash spill site after mater	ecified in section 8) e container for disposal.

Conditions for safe storage

Normal warehouse storage in cool, dry area is satisfactory.

Pb Resin SDS - Column	Revision Date:	01-Feb-18

Keep away from strong oxidizers.

Specific End Use(s) Apart from the uses mentioned in section 1 no other specific uses are stipulated.

Section 8: Exposure Controls / Personal Protection

Control Parameters	Contains no substances with occupational exposure limit values.
Exposure Controls	Mechanical exhaust is required.
	Do not eat, drink or smoke when using this product.
	Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product.
Eye protection	Wear safety glasses.
Skin Protection	Wear impervious gloves and clean body-covering clothing.

Respiratory protection Do not breathe dust.

Use NIOSH/MSHA approved respirator when handling material outside of mechanical exhaust. An air-purifying respirator with an organic vapor cartridge or canister may be permissible.

Section 9: Physical Properties

Information on basic physical and chemical properties			
Appearance:	Powder-Liquid Mixture Off-white, spherical beads	Explosion Limits (Upper/Lower):	Not Established
Odor:	Alcohol	Flash Point:	>94°C
Odor Threshold:	Not Determined	Flammability:	Not Established
pH:	1.3 (dilute acid)	AutoIgnition Temperature:	Product is not self-ignitin
Melting Point:	0 to -5°C (dilute acid); Not determined for powder	Decomposition Temperature	Not Established
Boiling Point:	100 to 120°C (dilute acid); Not determined for powder	VaporPressure: VaporDensity:	Not Established Not Established
Relative Density:	1.001 g/mL at 25°C (powder is 0.35 g/mL)	Evaporation Rate:	Not Established
Solubility:	(in water) Powder is insoluble, acid is miscible		
Partition Coefficient:	Not Established		
Viscosity:	Not Established		

Section 10: Stability and Reactivity

Reactivity	No hazardous reactions if stored and handled as indicated.
Chemical Stability	Stable under normal handling and storage conditions.
Hazardous reactions	Reacts with strong oxidizing agents.
Conditions to Avoid	No relevant information available.
Materials to Avoid	Contact with strong oxidizers will degrade material.
Hazardous decomposition Products	Possible combustion products include carbon monoxide and carbon dioxide.

Section 11: Toxicology Information

	The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.
Acute Toxicity	
Oral Effects	Polymer, Oral LD50 > 5,000 mg/kg (rat).
	LD50 for cyclocrown has not been determined.
	Isodecyl Alcohol has a low order of toxicity.
Inhalation Effects	Nitric Acid LC50 = 138 ppm/30 min (rat).
	Isodecyl Alcohol has a low order of toxicity.
	No data available for acute inhalation effects of other components of this product.
Dermal Effects	Polymer, Dermal LD50 > 5,000 mg/kg (rabbit)
	Dermal LD50 for cyclocrown has not been determined. Cyclocrown is irritating to mucous membranes

Skin corrosion/irritation Nitric Acid solution is Non-corrosive to skin via Corrositex® (skin) test. Irritant to skin and mucous membranes. Repeated exposure of the skin to low concentrations of nitric acid may cause dermatitis, characterized by erythema, itching and a dry scaly appearance. Serious eye damage/irritation Irritant to eye. Respiratory or skin sensitization Long term inhalation exposure to nitric acid fumes can lead to chronic respiratory irritation such as bronchitis and may also lead to dental erosion as the nitric acid deposits on the teeth and erodes the outer coating of enamel. Germ Cell Mutagenicity No data available regarding mutagenic effects of this product. Carcinogenicity No data available regarding carcinogenic effects of this product. Reproductive Toxicity

Animal studies provide no indication of a teratogenic effect for nitric acid. No data available for other components. No other reproductive data available for nitric acid.

Specific Target Organ Toxicity
Single Exposure

Single Exposure No data available regarding specific target organ toxicity single exposure.

Repeated Exposure No data available regarding specific target organ toxicity repeated exposure.

Aspiration Hazard

No data available regarding the aspiration hazard of this product.

Revision Date: 01-Feb-18

Section 12: Ecological Information

Aquatic Toxicity *The product has not been tested. The statement has been derived from the

properties of individual components using an additivity method.

Persistance and degradability

No data are available for persistance and degradability.

Bioaccumulative potential

No data are available for bioaccumulative potential.

Mobility in Soil No data are available for mobility in soil.

PBT/vPvB assessment not available as chemical safety assessment not

required/not conducted.

Other An environmental hazard cannot be excluded in the event of unprofessional

handling or disposal. Very toxic to aquatic life with long lasting effects.

Section 13: Disposal Considerations

General Dispose of contents/container in accordance with federal, state, and local

regulations.

Unused: Dispose of liquid according to local regulations for acids.

Bury resin in licensed landfill or burn in approved incinerator equipped with an

afterburner and scrubber according to local, state, and federal regulations.

Used: For resin contaminated with hazardous materials, dispose of mixture as hazardous

material according to local, state, and federal regulations.

Section 14: Transport Information

Air Transport: Not Hazardous per IATA 2014

Ground Transport: Not D.O.T. Hazardous

Water Transport: Not Hazardous per IMDG 2012.

Section 15: Regulatory Information

US Federal Regulations

Toxic Substances Control Act (TSCA): This material is provided to you under the

research and development (R&D) exemption.

Section 16: Other Information

Pb Resin SDS - Column

Revision	Updated to GHS SDS format, including classification
	1-Feb-2018: Update Emergency Phone Numbers
SDS Prepared By:	Eichrom Technologies LLC

Revision Date: 01-Feb-18

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.