SAFETY DATA SHEET

	SAFETT DATA SHEET					
RE Resin SDS - Column Revision Date: 01-Feb					01-Feb-18	
Section 1: Chemical Product and Company Identification						
Product N	luct Name RE Resin					
Product Num	ber(s): RE-	-C01-A, RE-C01-S, RE-C50-A, RE-C50-S				
Product Syno	nym(s): RE	Resin Column				
Identified Use	es: Lab	oratory chemicals, manu	facture of substance	es		
Manufacturer	: Eich	rom Technologies LLC	Ge	eneral	(8-5 CST M-F)	
		5 University Lane e, Illinois 60532	Inf	ormation:	800-422-6693 (in USA) 630-963-0320	
24 Hour Emergency Number (US/Canada): 1-800-255-3924 CHEMTEL Contract #:MIS9554039 24 Hour International Access Number: 1-813-248-0585						
24 Hour Inter	rnational Access		3-248-0585			
			fic Emergency Num			
	1-300-954-58		India	a: 000-800)-100-4086	
Brazil:	0-800-591-60	42	Mexico	p: 1-800-9	9-731	
Section 2.	Hazard(s) Iden	tification]
		ubstance or mixture				
		ostance or mixture in a		CFR 1910 (OSHA HCS)	
Skin Irrita						
Eye Irritar						
-	ry Tract Irritation					
-	-					
		including precaution	ary statements			
Pictogi	ram:	!				
Signal Word Warning						
-		vanning				
Hazard Statement(s):						
H315 Causes skin irritation						
H31	-	Causes serious e				
H33		May cause respira	atory irritation			
	utionary Stateme	nt(s):				
Pre	P261	Avoid breathing dust				
ven	P264	Wash hands thoroug				
evention	P271	Use only outdoors or in a well-ventilated area.				
_	P280	Wear protective glov				
Res	P302+P352	IF ON SKIN: Wash v	vith plenty of soap a	nd water.		
Response	P304+P340	IF INHALED: Remo breathing.	ve to fresh air and ke	eep at rest in	a position comfortable for	
Φ	P305+P351+P3	38 IF IN EYES: Rinse car present and easy to			ninutes. Remove contact le	enses, if
	P312	Call a POISON CONTROL CENTER or doctor if you feel unwell.				
	P332+P313	If skin irritation occur	If skin irritation occurs, seek medical attention.			
	P337+P313	If eye irritation persis				
	P362+P364		-		e.	
	P391	Collect Spillage.	Take off contaminated clothing and wash before reuse. Collect Spillage.			
(0	P403+P233	Store in a well-ventil	ated place. Keep on	ntainer tight	v closed	
Stor	P403+P233 P405		aleu place. Neep Co	maner uynu	y 0.03Cu.	
Storage	1 400	Store locked up.				

Disposal

Dispose of contents/container in accordance with federal, state, and local regulations.

2.3 Hazards Not Otherwise Classified (HNOC) or not covered by GHS:

Component	CAS_Number	Percentage Range
De-ionized water	007732-18-5	60-70%
Nonionic Acrylic Ester Polymer	Trade Secret	18-24%
TriButyIPhosphate	126-73-8	7-9%
Octyl (phenyl)-N,N-diisobutyl carbamoylmethylphosphine oxide	83242-95-9	5-7%
Nitric Acid, Concentrated	7697-37-2	approximately 0.1%

Section 4: First-aid Measures	
Ingestion	Contact local poison control center.
Skin Contact	Wash immediately with soap and copious amounts of water. Remove and wash contaminated clothing promptly. If irritation develops, seek medical attention.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Inhalation	Remove to fresh air. If breathing is labored, administer oxygen. If not breathing, give artificial respiration. Seek medical attention.
Most important symptoms and effects, both acute and delayed	No further relevant information available.
Indication of any immediate medical attention and special treatment needed	Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Section 5: Firefighting Measures	
Extinguishing Media	Foam, CO2, Dry Chemical
Fire and Explosion Hazards	Highly toxic and irritating fumes may be released and extinguishing water runoff may be toxic.
	Polymer does not support flame.
Protective Equipment	Wear positive pressure self-contained breathing apparatus and full personal protective equipment.
Special Hazards	Possible combustion products include phosphorous oxides, phosphoric acid, carbon dioxide, and carbon monoxide, in addtion to unidentified organic compounds.
Section 6: Accidental Release Me	easures
Personal precautions	Avoid breathing vapors, mist, or gas. See section 8.
	Surface may be slippery.
	Use proper personal protect equipment (specified in section 8)
	Surface may be slippery.
	Use proper personal protect equipment (specified in section 8)
Methods and materials for containment and clean-up	Sweep up material and transfer to a suitable container for disposal.
	Sweep up material and transfer to a suitable container for disposal.
Reference to other sections	For disposal see section 13.
Section 7: Handling and Storage	
Conditions for safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.
	Use mechanical exhaust if dust is formed.
Conditions for safe storage	Normal warehouse storage in cool, dry area is satisfactory.
	Keep away from strong oxidizers.
Specific End Use(s)	Apart from the uses mentioned in section 1 no other specific uses are stipulated.

	F	RE Resin SDS - C	Column	Revision Date: 01-Feb-18
Section 8: Exposure	e Controls / F	Personal Protection	n	
Control Parameters		Per ACGIH, TLV-TWA for Tributylphosphate is 2 ppm. Per OSHA, PEL TWA is 5 mg/m3 for Tributylphosphate. Per NIOSH, REL TWA is 0.2 ppm (2.5 mg/m3) for Tributylphosphate and IDLH is 3 ppm for Tributylphosphate		
Exposure Controls		Mechanical exhaus	t is required.	
		Do not eat, drink or	smoke when using this produc	ct.
		Avoid contact with s	skin, eyes, and clothing. Wash andling the product.	
		Wear protective glo	oves, clothing, and eye protecti	on.
Respiratory protection		Use NIOSH/MSHA approved respirator when handling material outside of mechanical exhaust. An air-purifying respirator with an organic vapor cartridge canister may be permissible.		
Section 9: Physical	Properties			
Information on basic ph	ysical and chen	nical properties		
Appearance:	Powder-Liq White bead	uid Mixture in colorless liquid	Explosion Limits (Upper/Lower):	Not Established
Odor:	Low to none)	Flash Point:	Not applicable
Odor Threshold:	Not Establis	hed	Flammability:	Not Established
pH:	1.3 (dilute a	cid)	Autolgnition Temperature:	Product is not self-igniting.
Melting Point:	Not Establis	hed	Decomposition	Not Established
Boiling Point:	Not Establis	hed	Temperature	
Relative Density:	0.37 g/mL a	t 25°C	VaporPressure:	Not Established
Solubility:	Insoluble in	water	VaporDensity:	Not Established
Partition Coefficient:	Not Establis	hed	Evaporation Rate:	Not Established
Viscosity:	Not Establis	hed		
Section 10: Stability	and Reactiv	ity		
Reactivity		No hazardous react	tions if stored and handled as i	indicated.
Chemical Stability		Stable under normal handling and storage conditions.		
Hazardous Reactions		No hazardous reactions are expected in normal laboratory use. Hazardous polymerization will not occur.		
Materials to Avoid		Contact with strong oxidizers will degrade material.		
Hazardous decomposition Products		Possible combustion products include phosphorous oxides, phosphoric acid, carbon dioxide, and carbon monoxide; additional unidentified organic compounds may also be produced.		
Section 11: Toxicolo	ogy Informat	ion		
Acute Toxicity				
Oral Effects		CMPO, oral LD50 >	•5000 mg/kg.	
		Polymer, Oral LD50) > 5,000 mg/kg (rat)	
		Tributylphosphate,	Oral LD50 is 1189 mg/kg (mc	ouse).
		Tributylphosphate,	Oral LD50 is 3000 mg/kg (rat).
		RE Resin Column,	estimated oral LD50 is >10000) mg/kg (mouse).
Inhalation Effects		Tributylphosphate, inhalation LC50 is 2529 ppm (rat - 1 hr) [or 28000 mg/m3]		
		Tributylphosphate,	inhalation LC50, mouse: 1300	mg/m3.
		RE Resin Column,	estimated inhalation LC50,vap	or is 27,000 ppm (rat - 1 hr) [or

Eye Effects **Dermal Effects**

> Polymer, Dermal LD50 > 5,000 mg/kg (rabbit) Tributylphosphate, dermal LD50 is >3100 mg/kg (rabbit)

CMPO, dermal LD50 >2000 mg/kg.

108 mg/l]

RE Resin Column, estimated oral LD50 is >10,000 mg/kg (mouse).

Tributylphosphate, Draize test, rabbit, eye: 500 mg Severe.

	RE Resin SDS - Column	Revision Date: 01-Feb-18	
	Tributylphosphate is a mild skin irritant (rabbit). I components.	No data available for other	
Serious eye damage/irritation			
	Tributylphosphate is a mild eye irritant (rabbit). N components.	lo data available for other	
Respiratory or skin sensitization			
	No data available regarding respiratory or skin se	ensitization effects of this product.	
Germ Cell Mutagenicity			
	No data available regarding mutagenic effects of	this product.	
Carcinogenicity			
	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.		
	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
	No component of this product present at levels g identified as probable, possible, or confirmed hur		
	No specific data available for some components. material.	Minimize direct exposure to	
	Tributylphosphate, Limited evidence of carcinoge Kidney, Ureter, Bladder: tumors; Mouse, Oral, Liv		
Reproductive Toxicity			
	No data available regarding reproductive effects	of this product.	
Specific Target Organ Toxicity			
Single Exposure	No data available regarding specific target organ	toxicity single exposure.	
Repeated Exposure	No data available regarding specific target organ	toxicity repeated exposure.	
Aspiration Hazard	• •		
	No data available regarding aspiration hazards a	ssociated with this product.	

Section 12: Ecological Information

Aquatic Toxicity

Acute Toxicity to fish	Tributylphosphate - LC50, Carassius auratus (goldfish) - 8.8 mg/l - 96 hr
	TRU Resin Column - Estimated LC50, Carassius auratus (goldfish) - 32 mg/l - 96 hr
Acute Toxicity to aquatic invertebrates	Tributylphosphate - EC50, Daphnia magna (water flea) - 3.6 mg/l - 48 hr
	TRU Resin Column - Estimated EC50, Daphnia magna (water flea) -72 mg/l - 48 hr
Acute toxicity to aquatic plants	Tributylphosphate - EC50, Desmodesmus subspicatus (green algae) - 176 mg/l - 72 hr
	TRU Resin Column - Estimated EC50, Desmodesmus subspicatus (green algae) - 22 mg/l - 72 hr
Persistance and degradability	
Biodegradability	Tributylphosphate - aerobic biodegradability - exposure time 28 d, 89% - readily biodegradable.
Bioaccumulative potential	
Mobility in Soil	No data are available for mobility in soil.
PBT/vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Other	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.
Section 13: Disposal Considerati	ons
General	Dispose of contents/container in accordance with federal, state, and local regulations.
Unused:	Dispose of liquid according to local regulations for acids.
	Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations.
Used:	For resin contaminated with hazardous materials, dispose of mixture as hazardous

material according to local, state, and federal regulations.

Section 14: Transport In	formation		
Air Transport:	Not Hazardous per IATA 2014		
Ground Transport:	Not D.O.T. Hazardous		
Water Transport:	Not Hazardous per IMDG 2012.		
Section 15: Regulatory I	nformation		
US Federal Regulations			
	Toxic Substances Control Act (TSCA): This material is provided to you under the research and development (R&D) exemption.		
US State Regulations			
	A component, Tributylphosphate [CAS 126-73-8], is listed on the following state right to know lists: CA, MA, MN, NJ, PA		
Section 16: Other Inform	nation		
Revision	1-Feb-2018: Update Emergency Phone Numbers		
	Updated to GHS SDS format, including classification		
SDS Prepared By:	Eichrom Technologies LLC		
The information set forth herein	n has been gathered from standard reference materials and is to the best knowledge and belief of		

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.