


Certificate of Analysis
 No. CA10235

Product: Eichrom's Sr Resin
 Lot #: SRA110410

Eichrom's Sr Resin Lot # SRA110410 has been manufactured according to Eichrom's standard operating procedures. This lot has been tested in accordance with Eichrom's quality assurance policy and procedures. This lot of product meets all Eichrom quality specifications.

ANALYSIS RESULTS

<u>Test Value</u>	<u>Specification</u>	<u>Result</u>
Appearance	White beads	Pass
Distribution Ratio, Sr in 3.1 N nitric acid	≥ 100	118
% Gravimetric Recovery	≤ 105	102.3
% Chemical Recovery, Corrected	90-110	90.0
% Sr stripped in 0.05M HNO ₃		
Least acceptable mean (5 rep)	85.0	97.1
Max. standard deviation	2.5	0.6
%Ca stripped in 0.05M HNO ₃		
Maximum acceptable mean (5 rep)	0.25	0.00
Max. standard deviation	0.25	0.00
%Ba stripped in 0.05M HNO ₃		
Maximum acceptable mean (5 rep)	0.50	0.00
Max. standard deviation	0.50	0.00
%Y stripped in 0.05M HNO ₃		
Maximum acceptable mean (5 rep)	0.25	0.0
Max. standard deviation	0.25	0.0
%Y in 8M HNO ₃ load and rinse		
Least acceptable mean (5 rep)	99.0	100.0
Max. standard deviation	2.5	0.0
Raw support resin gravity flow rate, mL/min	0.60-0.80	0.67


 Joel Williamson
 Quality Manager

Prepared November 10, 2010