## SAFETY DATA SHEET

TEVA® Resin Disc SDS - Disc

Section 1: Chemical Product and Company Identification

TEVA® Resin Disc **Product Name** 

Product Number(s): TE-D10-F, TE-D10-FX, TE-D50-F, TE-D50-FX

Product Synonym(s): TEVA® Resin Disc

Identified Uses: Laboratory chemicals, manufacture of substances

Manufacturer: Eichrom Technologies LLC General (8-5 CST M-F)

Information: 1955 University Lane 800-422-6693 (in USA)

Revision Date: 28-May-15

Lisle, Illinois 60532 630-963-0320

24 Hour Emergency Number:

CHEMTREC: 800-424-9300

## Section 2: Hazard(s) Identification



P501

GHS Signal Word: **Danger** 

GHS Classification of Chronic hazards to the aquatic environment (Category 1) substance or mixture:

Acute hazards to the aquatic environment (Category 1)

Acute toxicity, Oral (Category 4)

Skin corrosion/irritation

Serious eye damage (irreversible effects)

Hazard Statement(s): H410 Very toxic to aquatic life with long lasting effects

Mixture contains of component(s) of unknown hazards to the aquatic environment

H400 Very toxic to aquatic life

mixture contains of component(s) of unknown hazards to the aquatic environment

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

		, 5			
Pre	Prevention:				
	P260	Do not breathe dust.			
	P264	Wash hands thoroughly after handling.			
	P270	Do not eat, drink or smoke when using this product.			
	P273	Avoid release to the environment.			
	P280	Wear protective gloves, clothing, and eye protection.			
Re	Response:				
	P301/P330/P331	IF SWALLOWED: Rinse mouth. DO NOT induce vomitting.			
	P303/P361/P353	IF ON SKIN (or hair): Immediately remove all contaminated clothing. Rinse skin (or hair) with water.			
	P304/P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.			
	P305/P351/P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
	P310	IMMEDIATELY call a POISON CONTROL CENTER or doctor.			
	P332/P313	If skin irritation occurs, seek medical attention.			
	P337/P313	If eye irritation persists, get medical attention.			
	P363	Wash contaminated clothing before reuse.			
	P391	Collect Spillage.			
Storage:					
	P405	Store locked up.			
Disposal:					

Dispose of contents/container in accordance with federal, state, and local regulations.

Section 3: Composition / Informa	ation on Ingredien	ts	
Component		CAS_Number	Percentage Range
Nonionic Acrylic Ester Polymer			55-61%
Trioctylmethylammonium chloride		63393-96-4	26-37%
Glass wool fiber		65997-17-3	0-10%
Decan-1-ol		112-30-1	0-3%
Octan-1-ol		111-87-5	0-3%
Section 4: First-aid Measures			
Ingestion	IF SWALLOWED:	Rinse mouth. DO NO	T induce vomitting.
	Never give anything	by mouth to an uncon	scious person. Consult a physician.
	Drink a large quanti conscious).	ty of milk or water and	contact local poison control center (if
Skin Contact	contaminated clothi	ng promptly. If irritation	amounts of water. Remove and wash n develops, seek medical attention.
		ately to a hospital. Cor	
		rs, seek medical attent	
Eye Contact		es during transport to h	·
	lenses, if present ar	nd easy to do. Continu	•
	Irrigate immediately medical attention.	with water for 15 minu	tes. Mechanical irritation is possible; seel
Inhalation		. If breathing is labore tion. Seek medical att	d, administer oxygen. If not breathing, ention.
	IF INHALED: Remo	ove to fresh air and kee	ep at rest in a position comfortable for
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.		
Indication of any immediate medical attention and special treatment needed	Treat according to symptoms (decontamination, vital functions), no known specific antidote.		
Section 5: Firefighting Measures			
Extinguishing Media	Foam, CO2, Dry Ch	emical	
Fire and Explosion Hazards	Highly toxic and irrit be toxic.	ating fumes may be rel	leased and extinguishing water runoff may
	Polymer does not so	upport flame.	
Protective Equipment	Wear positive press protective equipmer		athing apparatus and full personal
Section 6: Accidental Release Mo	easures		
Methods and materials for containment and cleanup	Sweep up material	and transfer to a suitab	le container for disposal.
Personal precautions	Avoid breathing vap	ors, mist, or gas. See	section 8.
	Surface may be slip		
Environmental Precautions	Avoid release to the	environment	
Methods and materials for containment and clean-up	Collect Spillage		
			erial pickup is complete.
Reference to other sections	For disposal see se	ction 13.	
Section 7: Handling and Storage			
Specific End Use(s)	Apart from the uses	mentioned in section	1 no other specific uses are stipulated.
Conditions for safe handling	Use mechanical ext	naust if dust is formed.	
	Avoid contact with s	kin and eyes. Avoid in	halation of vapor or mist.
Conditions for safe storage	Keep away from str	ong oxidizers	
Conditions for safe storage	recep away nom sur	orig oxidizoro.	

Normal warehouse storage in cool, dry area is satisfactory.

Revision Date: 28-May-15

Section 8: Exposur	re Controls / Personal P	Protection			
Control Parameters		Per AIHA WEEL, 8hr-TWA for Octan-1-ol is 50 ppm.			
Exposure Controls		Do not eat, drink or smoke when using this product			
Skin Protection		Wear protective gloves, clothing, and eye protection.			
		ids thoroughly after handling			
Respiratory protection		eathe dust.			
	Use NIOS mechanica canister m	Use NIOSH/MSHA approved respirator when handling material outside of mechanical exhaust. An air-purifying respirator with an organic vapor cartridge or canister may be permissible.			
Section 9: Physical		ina			
	hysical and chemical properti		Not Established		
Appearance:	Solid	Explosion Limits (Upper/Lower):	Not Established		
Odor	Off-white, circular disc		0 °C		
Odor: Threshold:	Not Established	Flash Point:	Not Established		
Odor Threshold:	Not Established	Flammability:			
pH: Molting Point:	Not Relevant	Autolgnition Temperatu			
Melting Point:	Not Established	Decomposition Temper	ature INUL ESTADIISHEU		
Boiling Point:	100 °C	Vanor Dragging.	Not Established		
Relative Density:	g/mL at 25°C	VaporPersity:	Not Established		
Solubility:	Insoluble in water	VaporDensity:	Not Established		
Partition Coefficient:	Not Established	Evaporation Rate:	Not Established		
Viscosity:	Not Applicable				
Section 10: Stabilit					
Reactivity		dous reactions if stored and handled			
Chemical Stability		Stable under normal handling and storage conditions.			
Hazardous Reactions	polymeriza	No hazardous reactions are expected in normal laboratory use. Hazardous polymerization will not occur.			
Conditions to Avoid		Avoid all sources of ignition; heat, sparks, open flame. Avoid electro-static discharge.			
Materials to Avoid		Contact with strong oxidizers will degrade material.			
Hazardous decompositi	section 5.	No hazardous decomposition products if stored and handled as indicated. See also section 5.			
Section 11: Toxico	logy Information				
Acute Toxicity		uct has not been tested. The statemeroperties of the individual componer	ents on toxicology have been derived nts.		
Oral Effects	The setime	ated oral LD50 for quaternary ammo	onium salt is 220 mg/kg (rot)		
Oral Elicols		ated oral LD50 for quaternary amind ated oral LD50 for TEVA® Resin is 4			
Inhalation Effects	No data av		Tringing (rat).		
Innalation Eπects Dermal Effects			mach		
Deilliai Ellecis	iviay cause	May cause burns to the mouth, throat, and stomach.			
Skin corrosion/irritation	Non-corro	sive to skin via Corrositex® (skin) te	st.		
Serious eye damage/irr		2 2 2 2 IN CONTONON (SKIII) LE			
Jones Cyc damaye/III		May cause irritation or corneal injury.			
Respiratory or skin sens		aor or corneal injury.			
. toophatory or skill sells		the ingredients, there is no suspicion	n of a skin-sensitizing potential		
Germ Cell Mutagenicity			5. 2 5 conduzing potential.		
John John Mulayerilolly		Based on the ingredients, there is no suspicion of a mutagenic effect.			
Carcinogenicity	Daseu UII		J. aatagoriio orioot.		
3 a. Smogornoity	The whole effect.	e of the information assessable provi	des no indication of a carcinogenic		
		c data available. Minimize direct exp	posure to material		
Deproductive Toxicity	·				

Reproductive Toxicity

### TEVA® Resin Disc SDS - Disc

The results of animal studies suggest a fertility impairing effect.

A component of the substance caused malformations/developmental toxicity in

Revision Date: 28-May-15

laboratory animals.

Specific Target Organ Toxicity

Single Exposure Based on the available information there is no specific target organ toxicity to be

expected after a single exposure.

Repeated Exposure

Aspiration Hazard

Repeated exposure may affect certain organs.

No data available regarding aspiration hazards associated with this product.

Section	12.	<b>Ecological</b>	Information
JUCCLIOII	14.	LCOIDGICAI	IIIIOIIIIauoii

\*The product has not been tested. The statement has been derived from the Aquatic Toxicity

properties of individual components using an additivity method.

Acute Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 0.18 -0.32 mg/l - 96.0 h for

trioctylammonium chloride

 $LC50 > 0.3-2.6 \text{ mg/l}^*$ 

Acute Toxicity to aquatic invertebrates EC50 - Daphnia magna (Water flea) - 0.01 -0.04 mg/l - 48 h for trioctylammonium

chloride

estimated EC50 (48 h), 0.41 mg/l, Daphnia magna (OECD Guideline 202, part 1,

static)\*

estimated EC10, 0.28 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)\*

Acute toxicity to aquatic plants estimated EC50 (72h) 0.29 mg/l (growth rate), Desmodesmus subspicatus (OECD

Guideline 201, static). The details of the toxic effect relate to the nominal concentration.\*

estimated EC10 (72h) 0.35 mg/l (growth rate), Desmodesmus subspicatus (OECD

Guideline 201, static). The details of the toxic effect relate to the nominal

concentration.\*

Chronic Toxicity to fish No data available regarding chronic toxicity to fish. Chronic Toxicity to aquatic No data available regarding chronic toxicity to daphnids.

invertebrates

Chronic toxicity to aquatic plants Microorganisms/Effect on Activated

Sludge

Toxicity to Microorganisms OECD Guideline 209 static, activated sludge, domestic/EC10 (3h): 11 mg/l\*

OECD Guideline 209 static, activated sludge, domestic/EC50 (3h): 46 mg/l\*

No data available regarding chronic toxicity to aquatic plants.

Persistance and degradability

Not readily biodegradable. Biodegradability

Biodegradation and elimination (H2O)

The organic component of the mixture is biodegradable.

Elimination information 10% CO2 formation relative to the theoretical value (28d) (OECD 301B; ISO 9439;

92/69/EEC, C.4-C) (aerobic, activated, sludge). Derived from products with similar

chemical character.

Stability in water No data available.

Bioaccumulative Potential Discharge into the environment should be avoided.

Bioconcentration Factor for Organic components is calculated to be between 70-

2,349, with an estimate of 1,778.

No data are available for mobility in soil. Mobility in Soil

Transport between environmental

compartments

No data available.

PBT/vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not

required/not conducted.

Other An environmental hazard cannot be excluded in the event of unprofessional handling

or disposal. Very toxic to aquatic life with long lasting effects.

## **Section 13: Disposal Considerations**

General Dispose of contents/container in accordance with federal, state, and local regulations.

Unused: Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations.

Used: For resin contaminated with hazardous materials, dispose of mixture as hazardous

material according to local, state, and federal regulations.

Printed: Friday, May 29, 2015 Page 4 of 6 Eichrom Technologies LLC

## Section 14: Transport Information

JN Number	UN3077	
Land Transport (US DOT)		
Hazard Class	9	
Packing Group	III	
Hazard Label	9	
Proper Shipping Name	Environmentally hazardous substance, solid, n.o.s. (Trioctylmethylammonium Chloride), 9, III	

From 49 CFR 171.4 (c) (2) -- Single or combination packagings having a net mass of 5 kg or less for solids, are not subject to any other requirements of 49 CFR Subchapter C [Parts 171 – 177] provided the packagings meet the general requirements in §§173.24 and 173.24a [provided transportation is not by any form of watercraft capable of being used as a means of transportation on the water]

Revision Date: 28-May-15

# Air Transport

(1010)	
Hazard Class	9
Packing Group	III
Hazard Label	9
Proper Shipping Name	Environmentally hazardous substance, solid, n.o.s.

From IATA DGR 56th edition Special Provision A197 -- UN3077 substances may be shipped as "not restricted" provided that the net quantity in any receptacle does not exceed 5 kg and the packaging used meets defined standards. Hazardous substance mark is not required on single packagings and combination packagings.

# Water Transport (IMDG)

Hazard Class	9
Packing Group	III
Hazard Label	9
Proper Shipping Name	Environmentally hazardous substance, solid, n.o.s. (Trioctylmethylammonium Chloride), 9, III

From IMDG Code 2.10.2.7 -- Marine pollutants packaged in single or combination packagings having a net mass per single or inner packaging of 5 kg or less for solids are not subject to any other provisions of the 2014 IMDG 4Code relevant to marine pollutants provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

### Section 15: Regulatory Information

US Federal Regulations	
	Toxic Substances Control Act (TSCA): This material is provided to you under the research and development (R&D) exemption.
US State Regulations	
	A component, Deca-1-ol [CAS 112-30-1], is listed on the following state right to know lists: PA
	A component, Octan-1-ol [CAS 111-87-5], is listed on the following state right to know lists: MN, PA

### TEVA® Resin Disc SDS - Disc

Section 16: Other Information

Revision Updated to GHS SDS format, including classification

SDS Prepared By: Eichrom Technologies LLC

Trademark: TEVA® Resin is a registered trademark of Eichrom Technologies LLC

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.

Revision Date: 28-May-15