

expertise. commitment. results.

## Certificate of Analysis No. CA06183

Product: Eichrom's TRU Resin Cartridges


Lot #: TRSR6E

Eichrom's TRU Resin Cartridge Lot # TRSR6E has been manufactured according to Eichrom's standard operating procedures. The resin used to manufacture this lot has been tested in accordance with Eichrom's quality assurance policy and procedures. This lot of product meets all Eichrom quality specifications.

## ANALYSIS RESULTS

<u>Test Value</u>	Specification	Result
Appearance	White beads	Pass
Distribution Ratio, Eu in 3.1 N nitric acid	≥ 60	91
% <sup>241</sup> Am stripped in 4M HCl		
Least acceptable mean (5 rep)	95.0	99.5
Max. standard deviation	2.5	0.2
% <sup>241</sup> Am stripped in 0.1M ammonium bioxalate		
Maximum acceptable mean (5 rep)	1.0	0.3
Max. standard deviation	0.5	0.1
% <sup>239</sup> Pu stripped in 0.1M ammonium bioxalate		
Least acceptable mean (5 rep)	95.0	97.4
Max. standard deviation	2.5	0.8
% <sup>239</sup> Pu stripped in 4M HCl		
Maximum acceptable mean (5 rep)	1.0	0.1
Max. standard deviation	0.5	0.0
Extractant distribution ratio, <sup>241</sup> Am strip in 0.05M HNO <sub>3</sub>	< 0.50	0.31

## TRU Resin Elution Curve



Jill Bryant

Quality Control Chemist

Prepared: December 20, 2006