## SAFETY DATA SHEET

TRU Resin SDS - Column

Section 1: Chemical Product and Company Identification				
Product Name	TRU Resin			
Product Number(s):	TR.22-C01-A, TR.22-C50-A, TR10-C01-A, TR10-C20-A, TR5-C01-A, TR5-C20-A, TR-C01-A, TR-C20-A, TR-C50-A			
Product Synonym(s):	TRU Resin			
Identified Uses:	Laboratory chemicals, manufacture of su	ubstances		
Manufacturer:	Eichrom Technologies LLC 1955 University Lane Lisle, Illinois 60532	General Information:	(8-5 CST M-F) 800-422-6693 (in USA) 630-963-0320	

## 24 Hour Emergency Number:

(!)

## CHEMTREC: 800-424-9300

Hazard(s)	Identification	
	Hazard(s)	Hazard(s) Identification

$\mathbf{V}$			
GHS Signal Word:	Warning		
GHS Classification of	Skin Irritant		
substance or mixture:	or mixture: Respiratory Tract Irritation		
	Eye Irritant		
Hazard Statement(s):	H315 Causes skin irritation		
	H335 May cause respiratory irritation		
	H319 Causes serious eye irritation		
Prevention:			
P261	Avoid breathing dust and vapors.		
P264	Wash hands thoroughly after handling.		
P271	Use only outdoors or in a well-ventilated area.		
P280	Wear protective gloves and eye protection.		
Response:			
P302/P352	IF ON SKIN: Wash with plenty of soap and water.		
P304/P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.		
P305/P351/P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P312	Call a POISON CONTROL CENTER or doctor if you feel unwell.		
P332/P313	If skin irritation occurs, seek medical attention.		
P337/P313	If eye irritation persists, get medical attention.		
P362	Take off contaminated clothing and wash before reuse.		
P391	Collect Spillage.		
Storage:			
P403/P233	Store in a well-ventilated place. Keep container tightly closed.		
Disposal:			
P501	Dispose of contents/container in accordance with federal, state, and local regulations.		

Section 3: Composition / Informa	ation on Ingredients		
Component		CAS_Number	Percentage Range
De-ionized water		007732-18-5	60-70%
Nonionic Acrylic Ester Polymer			18-24%
TriButyIPhosphate		126-73-8	8-11%
CMPO		83242-95-9	4-5%
Nitric Acid, Concentrated		7697-37-2	approximately 0.1%
Section 4: First-aid Measures			
Ingestion	Contact local poison c	ontrol center	
Skin Contact	Wash immediately with soap and copious amounts of water. Remove and wash contaminated clothing promptly. If irritation develops, seek medical attention.		
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
Inhalation	Remove to fresh air. If breathing is labored, administer oxygen. If not breathing, give artificial respiration. Seek medical attention.		
Most important symptoms and effects, both acute and delayed	No further relevant info		
Indication of any immediate medical attention and special treatment needed		nptoms (decontamir	nation, vital functions), no known specific
Section 5: Firefighting Measures			
Extinguishing Media	Foam, CO2, Dry Chen		
Special Hazards	Possible combustion products include phosphorous oxides, phosphoric acid, carbor dioxide, and carbon monoxiede, in addtion to unidentified organic compounds.		
Fire and Explosion Hazards	Highly toxic and irritating fumes may be released and extinguishing water runoff ma be toxic.		
	Polymer does not supp		
Protective Equipment	protective equipment.	e self-contained bre	athing apparatus and full personal
Section 6: Accidental Release M	easures		
	Use proper personal p		
Personal precautions	Avoid breathing vapors	-	e section 8.
	Surface may be slippe	•	
Containment Cleanup			ble container for disposal.
Reference to other sections	For disposal see section	on 13.	
Section 7: Handling and Storage			
Specific End Use(s)	•		1 no other specific uses are stipulated.
Conditions for safe handling		-	nhalation of vapor or mist.
	Use mechanical exhau		
Conditions for safe storage	Keep away from strong	-	
	Normal warehouse sto	rage in cool, dry are	ea is satisfactory.
Section 8: Exposure Controls / P			
Engineering controls	Mechanical exhaust is	required.	
Control Parameters	Per ACGIH, TLV-TWA for Tributylphosphate is 2 ppm. Per OSHA, PEL TWA is 5 mg/m3 for Tributylphosphate. Per NIOSH, REL TWA is 0.2 ppm (2.5 mg/m3) for Tributylphosphate and IDLH is 30 ppm for Tributylphosphate		
Exposure Controls	immediately after hand	lling the product.	g. Wash hands before breaks and
	Do not eat, drink or sm		•
Skin Protection	Wear protective gloves		-
Respiratory protection		An air-purifying resp	hen handling material outside of irator with an organic vapor cartridge or

		TRU Resin SDS		Revision Date: 22-May-15
Section 9: Physical				
Information on basic phy				
Appearance:		uid Mixture I in colorless liquid	Explosion Limits (Upper/Lower):	Not Established
Odor:	Low to non	e	Flash Point:	Not established
Odor Threshold:	Not Establi	shed	Flammability:	Not Established
pH:	1.3 (dilute a	acid)	Autolgnition Temperature:	Not Established
Melting Point:	determined	lilute acid); Not for powder	Decomposition Temperature	e Not Established
Boiling Point:		°C (dilute acid); Not for powder	VaporPressure:	49 hPa (37 mmHg) at 50°C (122°F) for nitric acid
Relative Density:	1.001 g/mL 0.35 g/mL)	at 25°C (powder is	VaporDensity: Evaporation Rate:	Not Established Not Established
Solubility:		Beads are insoluble, cible with water		
Partition Coefficient:	Not Establi	shed		
Viscosity:	Not Applica	able		
Section 10: Stability	and Reacti	vity		
Reactivity			ons if stored and handled as ir	ndicated.
Chemical Stability		Stable under normal	handling and storage conditio	ns.
Hazardous Reactions		No hazardous reaction polymerization will no	ons are expected in normal lat t occur.	poratory use. Hazardous
Materials to Avoid		Contact with strong o	xidizers will degrade material	
Hazardous decomposition Products Possible comb		dioxide, and carbon r		s oxides, phosphoric acid, carbon fied organic compounds may also
Section 11: Toxicolo	ogy Informa	tion		
Acute Toxicity				
Oral Effects		TRU Resin Column, e	estimated oral LD50 is 10,000	) mg/kg (mouse).
		Tributylphosphate, O	ral LD50 is 1189 mg/kg (moi	use).
		Tributylphosphate, O	ral LD50 is 3000 mg/kg (rat)	
		CMPO, oral LD50 >5		
		Polymer, Oral LD50 >	> 5,000 mg/kg (rat)	
Inhalation Effects				
		Tributylphosphate, inhalation LC50 is 2529 ppm (rat - 1 hr) [or 28000 mg/m3]		
Eye Effects		• • •	raize test, rabbit, eye: 500 mg	
-		May cause irritation c		
Dermal Effects		•	estimated oral LD50 is >10,00	00 mg/kg (mouse).
			ermal LD50 is >3100 mg/kg (r	
		• • •	50 > 5,000 mg/kg (rabbit)	,
		CMPO, dermal LD50		
Skin corrosion/irritation			a mild eye irritant (rabbit). No	data available for other
Serious eye damage/irrita	ation	components.		
	allon	Tributylphosphate is a components.	a mild skin irritant (rabbit). No	o data available for other
Respiratory or skin sensi	tization	· · · · · · · · · · · · · · · · · · ·		
, , , , , , , , , , , , , , , , , , , ,	-	No data available reg	arding respiratory or skin sen	sitization effects of this product.
Germ Cell Mutagenicity				
		No data available reg	arding mutagenic effects of th	nis product.
Carcinogenicity				

	TRU Resin SDS - Column	Revision Date: 22-May-18
	No component of this product present at levels identified as a known or anticipated carcinoger	
	No component of this product present at levels identified as a carcinogen or potential carcinog	
	No component of this product present at levels identified as probable, possible, or confirmed h	
	No specific data available for some componen material.	ts. Minimize direct exposure to
	Tributylphosphate, Limited evidence of carcino Kidney, Ureter, Bladder: tumors; Mouse, Oral,	
Reproductive Toxicity		
	No data available regarding reproductive effect	ts of this product.
Specific Target Organ Toxicity		
Single Exposure	No data available regarding specific target org	an toxicity single exposure.
Repeated Exposure	No data available regarding specific target org	an toxicity repeated exposure.
Aspiration Hazard		
	No data available regarding aspiration hazards	s associated with this product.
Section 12: Ecological Information	on	
Aquatic Toxicity		
Acute Toxicity to fish	Tributylphosphate - LC50, Carassius auratus (	
	Tributylphosphate - EC50, Daphnia magna (wa	, .
Acute toxicity to aquatic plants	Tributylphosphate - EC50, Desmodesmus sub hr	spicatus (green algae) - 176 mg/l - 72
Acute Toxicity to fish	TRU Resin Column - Estimated LC50, Carass	sius auratus (goldfish) - 32 mg/l - 96 hr
Acute Toxicity to aquatic invertebrates	TRU Resin Column - Estimated EC50, Daphni	a magna (water flea) -72 mg/l - 48 hr
Acute toxicity to aquatic plants	TRU Resin Column - Estimated EC50, Desmo 22 mg/l - 72 hr	desmus subspicatus (green algae) -
Persistance and degradability		
Biodegradability	Tributylphosphate - aerobic biodegradability - biodegradable.	exposure time 28 d, 89% - readily
Bioaccumulative potential		
Mobility in Soil	No data are available for mobility in soil.	
PBT/vPvB assessment	PBT/vPvB assessment not available as chem required/not conducted.	ical safety assessment not
Other	An environmental hazard cannot be excluded or disposal. Very toxic to aquatic life with long	
Aquatic Toxicity		
Section 13: Disposal Considerat	ons	
General	Dispose of contents/container in accordance v	vith federal, state, and local regulations
Jnused:	Bury resin in licensed landfill or burn in approv afterburner and scrubber according to local, st	
	Dispose of liquid according to local regulations	-
	Bury resin in licensed landfill or burn in approv afterburner and scrubber according to local, st	ed incinerator equipped with an
Used:	For resin contaminated with hazardous material according to local, state, and federal in	als, dispose of mixture as hazardous
Section 14: Transport Informatio	n	
Air Transport:	Not Hazardous per IATA 2014	
·		

Ground Transport:

Water Transport:

Not D.O.T. Hazardous

Not Hazardous per IMDG 2012.

Section 15: Regulatory Information		
US Federal Regulations		
	Toxic Substances Control Act (TSCA): This material is provided to you under the research and development (R&D) exemption.	
US State Regulations		
	A component, Tributylphosphate [CAS 126-73-8], is listed on the following state right to know lists: CA, MA, MN, NJ, PA	
Section 16: Other Information		
Revision	Updated to GHS SDS format, including classification	
SDS Prepared By:	Eichrom Technologies LLC	

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.