SAFETY DATA SHEET

UTEVA® Resin SDS - Bulk and Cartridge

Section 1: Chemical Product and Company Identification

Product Name UTEVA® Resin

Product Number(s): UT-B01-A, UT-B01-F, UT-B01-S, UT-B100-A, UT-B100-S, UT-B200-A, UT-B200-S, UT-B25-A,

UT-B25-S, UT-B50-A, UT-B50-S, UT-R01-S, UT-R25-S, UT-R50-S, UT-S01-S-1-3, UT-S200-S-1-3

Revision Date: 28-May-15

Product Synonym(s): UTEVA® Resin

Identified Uses: Laboratory chemicals, manufacture of substances

Manufacturer: Eichrom Technologies LLC General (8-5 CST M-F)

1955 University Lane Information: 800-422-6693 (in USA)

Lisle, Illinois 60532 630-963-0320

24 Hour Emergency Number:

CHEMTREC: 800-424-9300

Section 2: Hazard(s) Identification

GHS Signal Word: Warning

GHS Classification of Acute toxicity, Oral (Category 4)

substance or mixture: Acute toxicity, Inhalation (Category 4)

Skin Irritant Eye Irritant

Respiratory Tract Irritation

Hazard Statement(s): H302 Harmful if swallowed

H332 Harmful if inhaledH315 Causes skin irritation

H319 Causes serious eye irritationH335 May cause respiratory irritation

Prevention:

P261 Avoid breathing dust and vapors.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, clothing, and eye protection.

Response:

P301/P312 IF SWALLOWED: Call a POISON CONTROL CENTER or doctor if you feel unwell.

P302/P352 IF ON SKIN: Wash with plenty of soap and water.

P304/P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P305/P351/P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P312 Call a POISON CONTROL CENTER or doctor if you feel unwell.

P330 Rinse mouth.

P332/P313 If skin irritation occurs, seek medical attention.
P337/P313 If eye irritation persists, get medical attention.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P403/P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with federal, state, and local regulations.

Revision Date: 28-May-15

Section 3: Composition / Information on Ingredients					
Component	CAS_Number	Percentage Range			
Nonionic Acrylic Ester Polymer		61%			
Diamyl amylphosphonate		39%			
Section 4: First-aid Measures					
General Advice	Symptoms of poisoning may occur after sevis recommended for at least 48 hours after				
Ingestion	Contact local poison control center				
Skin Contact	Wash immediately with soap and copious amounts of water. Remove and wash contaminated clothing promptly. If irritation develops, seek medical attention.				
Eye Contact	Irrigate immediately with water for 15 minutes. Mechanical irritation is possible; seek medical attention.				
Inhalation	Remove to fresh air. If breathing is labored, administer oxygen. If not breathing, give artificial respiration. Seek medical attention.				
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.				
Indication of any immediate medical attention and special treatment needed	Treat according to symptoms (decontamination, vital functions), no known specific antidote.				
Section 5: Firefighting Measures					
Extinguishing Media	Foam, CO2, Dry Chemical				
Special Hazards	Possible combustion products include carbon dioxide and carbon monoxide				
Fire and Explosion Hazards	Polymer does not support flame.				
	Highly toxic and irritating fumes may be released and extinguishing water runoff may be toxic.				
Protective Equipment	Wear positive pressure self-contained breathing apparatus and full personal protective equipment.				
Section 6: Accidental Release M	easures				
	Use proper personal protect equipment (spe	ecified in section 8)			
Personal precautions	Surface may be slippery.				
Methods and materials for containment and clean-up	Ventilate area and wash spill site after material pickup is complete.				
Containment Cleanup	Sweep up material and transfer to a suitable container for disposal.				
Reference to other sections	For disposal see section 13.				
Section 7: Handling and Storage					
Specific End Use(s)	Apart from the uses mentioned in section 1	no other specific uses are stipulated.			
Conditions for safe handling	Use mechanical exhaust if dust is formed.				
Conditions for safe storage	Normal warehouse storage in cool, dry area is satisfactory.				
	Keep away from strong oxidizers.				
Section 8: Exposure Controls / P	ersonal Protection				
Engineering Controls	Mechanical exhaust is required.				
Control Parameters	Contains no substances with occupational exposure limit values.				
Exposure Controls	Do not eat, drink or smoke when using this product				
	Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product.				
Eye protection	Wear safety glasses.				
Skin Protection	Wear impervious gloves and clean body-covering clothing.				
Respiratory protection	Do not breathe dust.				
	Use NIOSH/MSHA approved respirator when handling material outside of mechanical exhaust. An air-purifying respirator with an organic vapor cartridge or canister may be permissible.				

Revision Date: 28-May-15

Section 9: Physical		VA® Resili SDS -			
Information on basic ph		nical properties			
Appearance:	Powder	a. p. epoilioo	Explosion Limits	Not Established	
	Hard, off-w	nite spherical beads	(Upper/Lower):		
Odor:	Low to non	е	Flash Point:	Not applicable	
Odor Threshold:	Not Establi	shed	Flammability:	Not Established	
pH:	Not relevan	t	Autolgnition Temperature:	Product is not self-igniting.	
Melting Point:	Not Establi	shed	Decomposition Temperature Not Established		
Boiling Point:	Not Established				
Relative Density:	0.37 g/mL at 25°C		VaporPressure:	Not Established	
Solubility:	Insoluble in		VaporDensity:	Not Established	
Partition Coefficient:	Not Establi	shed	Evaporation Rate:	Not Established	
Viscosity:	Not Applica	ble			
Section 10: Stability					
Reactivity			ions if stored and handled as i	ndicated.	
Chemical Stability		Stable under norma	handling and storage conditions.		
Hazardous reactions		Reacts with strong of	•		
Conditions to Avoid		No relevant information	· · ·		
Materials to Avoid					
Hazardous decomposition	on Products	Contact with strong oxidizers will degrade material. Possible combustion products include carbon monoxide, carbon dioxide, and			
Tazardodo decomposition i Toddets		phosphorous oxides.			
Section 11: Toxicol	ogy Informa	• •			
A . I. T. C.			been tested. The statements of the individual components.	s on toxicology have been derived	
Acute Toxicity		E ((0 D.	50 - 500 - 41 - (-1)		
Oral Effects		Extractant, Oral LD5			
===		Polymer, Oral LD50	> 5,000 mg/kg (rat)		
Inhalation Effects		No data available.			
Dermal Effects		Extractant, Dermal LD50 > 1,000 mg/kg (rabbit)			
		Polymer, Dermal LD	050 > 5,000 mg/kg (rabbit)		
Skin corrosion/irritation					
		Irritant to skin and m	Irritant to skin and mucous membranes. Extractant is irritant (rabbit).		
Serious eye damage/irri	tation				
-		May cause irritation	May cause irritation or corneal injury. Extractant is irritant (rabbit).		
Respiratory or skin sens	sitization				
		No data available re	garding respiratory or skin ser	nsitization effects of this product.	
Germ Cell Mutagenicity			•		
		No data available re	No data available regarding mutagenic effects of this product.		
Carcinogenicity					
		No specific data ava	nilable. Minimize direct exposu	ure to material.	
Reproductive Toxicity			,		
. ,		No data available re	garding reproductive effects o	of this product.	
Specific Target Organ T	oxicity		<u> </u>	•	
Single Exposure	,	No data available re	garding specific target organ t	oxicity single exposure.	
Repeated Exposure	9		garding specific target organ t		
Aspiration Hazard	-		Jan and Speeding tonger organic		
. Comadon nazara		No data available re	garding aspiration hazards as	sociated with this product.	
Other					
			ation Guidelines for Preparation	ng to the calculation method of the ons as issued in the latest	

UTEVA® Resin SDS - Bulk and Cartridge

Section 12: Ecological Information

Aquatic Toxicity *The product has not been tested. The statement has been derived from the

properties of individual components using an additivity method.

Revision Date: 28-May-15

Persistance and degradability

No data are available for persistance and degradability.

Bioaccumulative potential

No data are available for bioaccumulative potential.

Mobility in Soil No data are available for mobility in soil.

required/not conducted.

Other An environmental hazard cannot be excluded in the event of unprofessional handling

or disposal. Very toxic to aquatic life with long lasting effects.

Section 13: Disposal Considerations

General Dispose of contents/container in accordance with federal, state, and local regulations.

Unused: Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations.

Used: For resin contaminated with hazardous materials, dispose of mixture as hazardous

material according to local, state, and federal regulations.

Section 14: Transport Information

Air Transport: Not Hazardous per IATA 2014

Ground Transport: Not D.O.T. Hazardous

Water Transport: Not Hazardous per IMDG 2012.

Section 15: Regulatory Information

US Federal Regulations Toxic Substances Control Act (TSCA): This material is provided to you under the

research and development (R&D) exemption.

Section 16: Other Information

SDS Prepared By: Eichrom Technologies LLC

Revision Updated to GHS SDS format, including classification

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.