### SAFETY DATA SHEET

AG Cation Exchange Resin SDS - (Hydrogen Form)

Section 1: Chemical Product and Company Identification

Product Name AG Cation Exchange Resin

Product Number(s): C4-B500-M-H, C4-DR10-M-H, C81ML-R50-F-H, C8-B500-C-H, C8-B500-F-H, C8-B500-M-H,

C8-DR10-C-H, C8-DR10-M-H, C8-R50-M-H

Product Synonym(s): Analytical Grade Cation Exchange Resin, 8 % cross-linked; Analytical Grade Cation Exchange

Resin, 4% cross-linked; Analytical Grade Cation Exchange Resin, hydrogen form

Identified Uses: Laboratory chemicals, manufacture of substances

Manufacturer: Eichrom Technologies LLC General (8-5 CST M-F)

1955 University Lane Information: 800-422-6693 (in USA)

Revision Date: 01-Feb-18

Lisle, Illinois 60532 630-963-0320

24 Hour Emergency Number (US/Canada): 1-800-255-3924 CHEMTEL Contract #:MIS9554039

24 Hour International Access Number: 1-813-248-0585

Country Specific Emergency Numbers:

Australia: 1-300-954-583 India: 000-800-100-4086 Brazil: 0-800-591-6042 Mexico: 1-800-99-731

### Section 2: Hazard(s) Identification

2.1 Classification of the substance or mixture

GHS Classification of substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

Skin Irritant Eye Irritant

Respiratory Tract Irritation

2.2 GHS Label elements, including precautionary statements

Pictogram:

 $\diamondsuit$ 

Signal Word Warning

Hazard Statement(s):

H315 Causes skin irritation
H319 Causes serious eye irritation
H335 May cause respiratory irritation

## Precautionary Statement(s):

Prevention	P261	Avoid breathing dust.
	P264	Wash hands thoroughly after handling.
	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves, clothing, and eye protection.
Response	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P304+P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P312	Call a POISON CONTROL CENTER or doctor if you feel unwell.
	P332+P313	If skin irritation occurs, seek medical attention.
	P337+P313	If eye irritation persists, get medical attention.
	P362+P364	Take off contaminated clothing and wash before reuse.
Storage	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	P405	Store locked up.

Dispose of contents/container in accordance with federal, state, and local regulations.

2.3 Hazards Not Otherwise Classified (HNOC) or not covered by GHS:

Component		CAS_Number	Percentage Range
Diethyenyl-benzene polymer with ethen	ylbenzene, sulfonate	ed 69011-20-7	65-70%
Water		007732-18-5	30-35%
Section 4: First-aid Measures			
Ingestion	Rinse mouth and c	all a POISON CONTRO	L CENTER or doctor if you feel unwell.
Skin Contact	Wash immediately with soap and copious amounts of water. Remove and wash contaminated clothing promptly. If irritation develops, seek medical attention.		
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
Inhalation	Remove to fresh air. If breathing is labored, administer oxygen. If not breathing, give artificial respiration. Seek medical attention.		
Most important symptoms and effects, both acute and delayed	No further relevant	information available.	
Indication of any immediate medical attention and special treatment needed		symptoms (decontamina	ation, vital functions), no known specific
Section 5: Firefighting Measures			
Extinguishing Media	Use fire extinguishi	ng methods suitable to s	surrounding conditions
Protective Equipment	Wear positive pres		thing apparatus and full personal
Special Hazards	Possible combustion	on products include carb	on oxides, and sulfur oxides.
Section 6: Accidental Release Me	easures		
Personal precautions	Avoid creating and	breathing dust. See see	ction 8.
	Surface may be slip	opery.	
		al protect equipment (sp	•
Methods and materials for containment and clean-up			e container for disposal.
Reference to other sections	For disposal see se	ection 13.	
Section 7: Handling and Storage			
Conditions for safe handling	Avoid repeated free temperature.	eze-thaw cycles; beads r	may fracture. If frozen, thaw at room
	Use mechanical ex	haust if dust is formed.	
Conditions for safe storage	Normal warehouse	storage in cool, dry area	a is satisfactory.
	Storage temperature	re: 0 to 50 °C (32 to 1	22°F )
	Preferred Storage t	emperature is in the lov	ver half of the range given below.
	Keep away from st	ong oxidizers.	
Specific End Use(s)	Apart from the uses	s mentioned in section 1	no other specific uses are stipulated.
Section 8: Exposure Controls / P	ersonal Protectio	n	
Control Parameters	Contains no substa	nces with occupational	exposure limit values.
Exposure Controls		skin, eyes, and clothing.	Wash hands before breaks and
	Do not eat, drink or	smoke when using this	product.
Eye protection	Do not eat, drink or Wear safety glasse	smoke when using this	product.

Body protection

Respiratory protection

Wear protective gloves and clothing.

Do not breathe dust.

Revision Date: 01-Feb-18

AG	Cation Exchange Resin SDS	- (Hydrogen Form)	Revision Date: 01-Feb-18			
Section 9: Physical Properties						
Information on basic physical and chemical properties						
Appearance:	Powder	Explosion Limits	Not Applicable			
	Pale yellow spherical beads	(Upper/Lower):				
Odor:	low to none	Flash Point:	Not applicable			
Odor Threshold:	Not Established	Flammability:	Not flammable until all moisture			
pH:	Not applicable		is removed; resin starts to burn			
Melting Point:	0 °C (water); Not determined for		in flame at 230°C			
	solid	AutoIgnition Temperature:	Not Established			
Boiling Point:	100 °C (water); Not determined for	Decomposition	above 500°C			
	solid	Temperature				
Relative Density:	50 lb/cuft	VaporPressure:	Not Established			
Solubility:	Insoluble in water	VaporDensity:	Not Established			
Partition Coefficient:	Not Established	Evaporation Rate:	Not Established			
Viscosity:	Not Applicable					
Section 10: Stability and Reactivity						
Reactivity	No hazardous reactio	No hazardous reactions if stored and handled as indicated.				
Chemical Stability	Stable under normal h	nandling and storage condition	ons.			
Hazardous Reactions		No hazardous reactions are expected in normal laboratory use. Hazardous polymerization will not occur.				

Materials to Avoid Contact with strong oxidizers will degrade material.

Hazardous decomposition Products No hazardous decomposition products if stored and handled as indicated. See also

section 5.

# Section 11: Toxicology Information

Oral Effects	Oral LD50 > 5,000 mg/kg (rat)
Inhalation Effects	Inhalation LC50 has not been determined.
Dermal Effects	Dermal LD50 has not been determined.

Skin corrosion/irritation

Conditions to Avoid

**Acute Toxicity** 

Prolonged exposure not likely to cause significant skin irritation. May cause more

Exposure to elevated temperatures can cause product to decompose.

severe response if skin is abraded (scratched or cut).

Serious eye damage/irritation

May cause slight temporary eye irritation. Solid or dust may cause irritation or

corneal injury due to mechanical action.

Respiratory or skin sensitization

No relevant data found.

Germ Cell Mutagenicity

No relevant data found.

Carcinogenicity

No relevant data found.

Reproductive Toxicity

No relevant data found.

Specific Target Organ Toxicity

Single Exposure No relevant data found.

Repeated Exposure No relevant data found. Not anticipated to cause significant adverse effects.

Aspiration Hazard

No data available regarding the aspiration hazard of this product.

### Section 12: Ecological Information

No data are available on the adverse effects of this material on the environment.

Printed: Thursday, February 01, 2018 Page 3 of 4 Eichrom Technologies LLC

# AG Cation Exchange Resin SDS - (Hydrogen Form)

Section 13: Disposal Considerations

General Dispose of contents/container in accordance with federal, state, and local

regulations.

Unused: Bury resin in licensed landfill or burn in approved incinerator equipped with an

afterburner and scrubber according to local, state, and federal regulations.

Revision Date:

01-Feb-18

Used: For resin contaminated with hazardous materials, dispose of mixture as hazardous

material according to local, state, and federal regulations.

#### Section 14: Transport Information

Air Transport: Not Hazardous per IATA 2014

Ground Transport: Not D.O.T. Hazardous

Water Transport: Not Hazardous per IMDG 2012.

#### Section 15: Regulatory Information

US Federal Regulations

Toxic Substances Control Act (TSCA): This material is provided to you under the

research and development (R&D) exemption.

#### Section 16: Other Information

Revision Updated to GHS SDS format, including classification

1-Feb-2018: Update Emergency Phone Numbers

SDS Prepared By: Eichrom Technologies LLC

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.