


Certificate of Analysis
No. CA 24033

Product: Eichrom's TEVA Resin
 Lot #: TES021224
 Date of Manufacture: 12-FEB-2024

Eichrom's TEVA Resin Lot # TES021224 has been manufactured according to Eichrom's standard operating procedures. This lot has been tested in accordance with Eichrom's quality assurance policy and procedures. This lot of product meets all Eichrom quality specifications.

ANALYSIS RESULTS

<u>Test Value</u>	<u>Specification</u>	<u>Result</u>
Appearance	White beads	Pass
Distribution Ratio, 3.0 N nitric acid	>200	418
% ²³⁰ Th stripped in 6M HCl		
Least acceptable mean (4 rep)	93.0	98.6
Max. standard deviation	2.5	0.1
% ²³⁰ Th stripped in 0.02M HCl + 0.02M HF		
Maximum acceptable mean (4 rep)	2.0	0.1
Max. standard deviation	1.5	0.1
% ²³⁹ Pu stripped in 0.02M HCl + 0.02M HF		
Least acceptable mean (4 rep)	90.0	99.4
Max. standard deviation	2.5	0.6
% ²³⁹ Pu stripped in 6M HCl		
Maximum acceptable mean (4 rep)	1.0	0.0
Max. standard deviation	0.5	0.2


 Jose Munoz
 Quality Analyst

February 21, 2024