

# SAFETY DATA SHEET

Sr Resin SDS - Column

Revision Date: 29-Aug-23

## Section 1: Chemical Product and Company Identification

**Product Name** Sr Resin  
**Product Number(s):** SR10-C01-A, SR10-C20-A, SR12H-C20-A, SR5-C01-A, SR5-C20-A, SR8-C01-A, SR8-C20-A, SR-C01-A, SR-C20-A, SR-C50-A, SR-SPC25-A  
**Product Synonym(s):** Sr Resin Column  
**Identified Uses:** Laboratory chemicals, manufacture of substances  
**Manufacturer:** Eichrom Technologies LLC  
1955 University Lane  
Lisle, Illinois 60532  
**General Information:** (8-5 CST M-F)  
800-422-6693 (in USA)  
630-963-0320

**24 Hour Emergency Number (US/Canada):** 1-800-255-3924 **CHEMTEL Contract #:MIS9554039**

**24 Hour International Access Number:** 1-813-248-0585

### Country Specific Emergency Numbers:

**Australia:** 1-300-954-583

**India:** 000-800-100-4086

**Brazil:** 0-800-591-6042

**Mexico:** 1-800-99-731

## Section 2: Hazard(s) Identification

### 2.1 Classification of the substance or mixture

#### GHS Classification of substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4)

Acute toxicity, Dermal (Category 4)

Skin Irritant

Eye Irritant

Acute toxicity, Inhalation (Category 4)

Respiratory Tract Irritation

### 2.2 GHS Label elements, including precautionary statements

Pictogram:



Signal Word

**Warning**

Hazard Statement(s):

H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

Precautionary Statement(s):

Prevention	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
	P264	Wash hands thoroughly after handling.
	P270	Do not eat, drink or smoke when using this product.
	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves, clothing, and eye protection.
Response	P301+P312	IF SWALLOWED: Call a POISON CONTROL CENTER or doctor if you feel unwell.
	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P304+P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P312	Call a POISON CONTROL CENTER or doctor if you feel unwell.
P332+P313	If skin irritation occurs, seek medical attention.	

	P337+P313	If eye irritation persists, get medical attention.
	P362+P364	Take off contaminated clothing and wash before reuse.
Storage	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
Disposal	P501	Dispose of contents/container in accordance with federal, state, and local regulations.

### 2.3 Hazards Not Otherwise Classified (HNOC) or not covered by GHS:

#### Section 3: Composition / Information on Ingredients

Component	CAS_Number	Weight Percentage
De-ionized water	007732-18-5	60-70%
Nonionic Acrylic Ester Polymer	Trade Secret	19-25%
4,4'(5') di-t-butylcyclohexane-18-crown-6	223719-29-7	6-8%
N-Octanol	111-87-5	5-7%
Nitric Acid, Concentrated	7697-37-2	approximately 0.1%

#### Section 4: First-aid Measures

General Advice	The hazardous properties of this material have not been established. Treat material as if it were toxic when evaluating first aid requirements.
Ingestion	Contact local poison control center.
Skin Contact	Wash immediately with soap and copious amounts of water. Remove and wash contaminated clothing promptly. If irritation develops, seek medical attention.
Eye Contact	Irrigate immediately with water for several minutes. Mechanical irritation is possible; seek medical attention.
Inhalation	Remove to fresh air. If breathing is labored, administer oxygen. If not breathing, give artificial respiration. Seek medical attention.
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.
Indication of any immediate medical attention and special treatment needed	Treat according to symptoms (decontamination, vital functions), no known specific antidote.

#### Section 5: Firefighting Measures

Extinguishing Media	Foam, CO2, Dry Chemical.
Fire and Explosion Hazards	Polymer does not support flame. Highly toxic and irritating fumes may be released and extinguishing water runoff may be toxic.
Protective Equipment	Wear positive pressure self-contained breathing apparatus and full personal protective equipment.
Special Hazards	Possible combustion products include carbon dioxide and carbon monoxide.

#### Section 6: Accidental Release Measures

Personal Precautions	Use proper personal protect equipment (specified in section 8) Surface may be slippery.
Environmental Precautions	Avoid release to the environment.
Methods and materials for containment and clean-up	Use suitable adsorbent material to collect liquid component. Ventilate area and wash spill site after material pickup is complete.
Reference to other sections	Sweep up material and transfer to a suitable container for disposal. For disposal see section 13.

**Section 7: Handling and Storage**

Conditions for safe handling	Use mechanical exhaust if dust is formed.
Conditions for safe storage	Normal warehouse storage in cool, dry area is satisfactory. Keep away from strong oxidizers.
Specific End Use(s)	Apart from the uses mentioned in section 1 no other specific uses are stipulated.

**Section 8: Exposure Controls / Personal Protection**

Control Parameters	Per AIHA WEEL, 8hr-TWA for Octan-1-ol is 50 ppm.
Exposure Controls	Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product. Mechanical exhaust is required. Do not eat, drink or smoke when using this product.
Eye protection	Wear safety glasses.
Skin Protection	Wear impervious gloves and clean body-covering clothing.
Respiratory protection	Use NIOSH/MSHA approved respirator when handling material outside of mechanical exhaust. An air-purifying respirator with an organic vapor cartridge or canister may be permissible. Do not breathe dust or mist.

**Section 9: Physical Properties**

## Information on basic physical and chemical properties

Appearance:	Powder-Liquid Mixture White bead in colorless liquid	Explosion Limits (Upper/Lower):	Not Established
Odor:		Flash Point:	Not established
Odor Threshold:	Not Established	Flammability:	Not Established
pH:	1.3 (dilute acid)	AutoIgnition Temperature:	Not Established
Melting Point:	0 to -5°C (dilute acid); Not determined for powder	Decomposition Temperature	Not Established
Boiling Point:	100 to 120°C (dilute acid); Not determined for powder	VaporPressure:	49 hPa (37 mmHg) at 50°C (122°F) for nitric acid
Relative Density:	1.001 g/mL at 25°C (powder is 0.35 g/mL)	VaporDensity:	Not Established
Solubility:	(in water) Beads are insoluble, acid is miscible with water	Evaporation Rate:	Not Established
Partition Coefficient:	Not Established		
Viscosity:	Not Established		

**Section 10: Stability and Reactivity**

Reactivity	No hazardous reactions if stored and handled as indicated.
Chemical Stability	Stable under normal handling and storage conditions.
Hazardous reactions	Reacts with strong oxidizing agents.
Materials to Avoid	Contact with strong oxidizers will degrade material.
Hazardous decomposition Products	Possible combustion products include carbon monoxide, carbon dioxide, and nitrogen oxides.

**Section 11: Toxicology Information**

	The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.
Acute Toxicity	
Oral Effects	Polymer, Oral LD50 > 5,000 mg/kg (rat). LD50 for cyclocrown has not been determined. LD50 for octan-1-ol is 1790 mg/kg (mouse).
Inhalation Effects	Nitric Acid LC50 = 138 ppm/30 min (rat).
Eye Effects	No data available. May cause irritation or corneal injury.
Dermal Effects	Octan-1-ol can be absorbed through skin.

Skin corrosion/irritation	Nitric Acid solution is Non-corrosive to skin via Corrositex® (skin) test. Irritant to skin and mucous membranes. Repeated exposure of the skin to low concentrations of nitric acid may cause dermatitis, characterized by erythema, itching and a dry scaly appearance.
Serious eye damage/irritation	Irritant to eye.
Respiratory or skin sensitization	Long term inhalation exposure to nitric acid fumes can lead to chronic respiratory irritation such as bronchitis and may also lead to dental erosion as the nitric acid deposits on the teeth and erodes the outer coating of enamel.
Germ Cell Mutagenicity	No data available regarding mutagenic effects of this product.
Carcinogenicity	No data available regarding carcinogenic effects of this product.
Reproductive Toxicity	Animal studies provide no indication of a teratogenic effect for nitric acid. No data available for other components. No other reproductive data available for nitric acid.
Specific Target Organ Toxicity	
Single Exposure	No data available regarding specific target organ toxicity single exposure.
Repeated Exposure	No data available regarding specific target organ toxicity repeated exposure.
Aspiration Hazard	No data available regarding the aspiration hazard of this product.

## Section 12: Ecological Information

Aquatic Toxicity	*The product has not been tested. The statement has been derived from the properties of individual components using an additivity method.
Persistence and degradability	No data are available for persistence and degradability.
Bioaccumulative potential	No data are available for bioaccumulative potential.
Mobility in Soil	No data are available for mobility in soil.
PBT/vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Other	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

## Section 13: Disposal Considerations

General	Dispose of contents/container in accordance with federal, state, and local regulations.
Unused:	Dispose of liquid according to local regulations for acids. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations.
Used:	For resin contaminated with hazardous materials, dispose of mixture as hazardous material according to local, state, and federal regulations.

## Section 14: Transport Information

Air Transport:	Not Hazardous per IATA 2014
Ground Transport:	Not D.O.T. Hazardous
Water Transport:	Not Hazardous per IMDG 2012.

**Section 15: Regulatory Information**

Canadian Ingredient Disclosure List A component, Nitric Acid [CAS 7697-37-2] is listed on the Canadian Ingredient Disclosure List

## US Federal Regulations

Toxic Substances Control Act (TSCA): This material is provided to you under the research and development (R&D) exemption.

The following component is subject to reporting levels established by SARA Title III, Section 302: Nitric Acid, CAS-No. 7697-37-2 (2007) 1000 lb TPQ

The following component is subject to reporting levels established under CERCLA: CAS# 7697-32-2: 1000 lb final RQ; 454 kg final RQ

The following component is listed as a hazardous substance under the CWA: Nitric Acid [CAS -7697-37-2]

A component, CAS# 7697 -37-2 is considered highly hazardous by OSHA.

The following component is an Acute Health Hazard, Chronic Health Hazard under SARA Title III, Sections 311/312: Nitric Acid, CAS-No. 7697-37-2 (2007)

The following component is subject to reporting levels established by SARA Title III, Section 313: Nitric Acid, CAS-No. 7697-37-2 (2007)

## US State Regulations

A component, Nitric Acid [CAS 7697-37-2], is listed on the following state right to know lists:  
CA, MA, MN, NJ, PA

A component, Octan-1-ol [CAS 111-87-5], is listed on the following state right to know lists:  
MN, PA

**Section 16: Other Information**

Revised: 8/29/2023

Replaces Revision: 11/23/2020

Revision Reviewed: No changes

1-Feb-2018: Update Emergency Phone Numbers

23-Nov-20: 1mL Cartridge part numbers removed.

SDS Prepared By: Eichrom Technologies LLC

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warranties, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.